INSECT SCIENCE AND ITS APPLICATION

The International Journal of Tropical Insect Science

Editor:
Thomas R. Odhiambo
International Centre of Insect Physiology and Ecology (ICIPE)

List of Contents, Author and Subject Index for Volume 8, 1987

C.A.B. INTERNATIONAL
INSTITUTE OF ENTOMOLOGY
LIBRARY
28 SEP 1988
EU 680

ICIPE SCIENCE PRESS

Insect Science and its Application

The International Journal of Tropical Insect Science

Sponsored by the International Centre of Insect Physiology and Ecology (ICIPE), and the African Association of Insect Scientists (AAIS)

Editor-in-Chief : **Thomas R. Odhiambo**
Associate Editor : **K.N. Saxena**
Scientific Editor : **Serah W. Mwanycky**

International Centre of Insect Physiology and Ecology (ICIPE), P.O. Box 30772, Nairobi, Kenya

Editorial Advisory Board

F.T. Abu Shama, *Kuwait, State of Kuwait*
P.L. Adkisson, *College Station, Texas, U.S.A.*
G. Benz, *Zurich, Switzerland*
J.C.M. Carvalho, *Rio de Janeiro, Brazil*
I. Fagoonee, *Reduit, Mauritius*
R. Galun, *Jerusalem, Israel*
T. Hidaka, *Kyoto, Japan*
H. Hirumi, *Nairobi, Kenya*
J. Mouchet, *Paris, France*
L.M. Schoonhoven, *Wageningen, The Netherlands*
G. Ibrahim, *Kuala Lumpur, Malaysia*
V. Landa, *Praha, Czechoslovakia*
M. Locke, *London, Canada*
J.R. Mainoya, *Dar es Salaam, Tanzania*
A. Mansingh, *Kingston, Jamaica*
F.G. Maxwell, *College Station, Texas, U.S.A.*
J. Meinwald, *Ithaca, New York, U.S.A.*
P.L. Miller, *Oxford, England*
M.D. Pathak, *Los Baños, The Philippines*
J.E. Treherne, *Cambridge, England*
A. Youdeowei, *Ibadan, Nigeria*

PUBLISHED BIMONTHLY

Annual Subscription

For libraries, university departments, government laboratories, industrial and other multiple-reader institutions, US$165.00; 2-year rate (1988-89) US$300.00 (including postage and insurance), private individuals US$70.00; 2-year rate US$126.00. *Specially Reduced Rates for Individuals*: In the interest of maximizing the dissemination of the research results published in this important international journal we have established a two-tier price structure. Any individual whose institution takes out a library subscription may purchase a second or additional subscriptions for personal use at a much reduced rate of US$60.00; 2-year rate US$108.00. Members of the International Centre of Insect Physiology and Ecology (ICIPE) and the African Association of Insect Scientists (AAIS) may purchase a subscription at the special rate of US$20.00.
Application forms for Membership of the AAIS (subscription US$20.00: 2-year rate US$36.00) may be obtained from: Hon. Secretary, African Association of Insect Scientists, P.O. Box 59862, Nairobi, Kenya.

Prices are subject to amendment without notice

Microform Subscriptions and Back Issues

Current subscriptions are available on microfiche simultaneously with the paper editions and on microfilm on completion of the annual index at the end of the subscription year.

Copyright © 1988—ICIPE Science Press, The International Centre of Insect Physiology and Ecology

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organizations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical photocopying, recording or otherwise, without permission in writing from the copyright holder.

Photocopying Information for Users in the U.S.A.
The Item-fee Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC), Transactional Reporting Service, provided the stated fee for copying beyond that permitted by Section 107 or 108 of the U.S. Copyright Law, is paid. The appropriate remittance of $3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 27 Congress Street, Salem, MA 01970.

Permission for Other Use
The copyright owner's consent does not extend to copying for general distribution, for promotion for creating new works or for resale. Specific written permission must be obtained from the publisher of such copying.

The item-fee for this publication is 0191-9040/86 $3.00 + 0.00

ICIPE SCIENCE PRESS

CONTENTS OF VOLUME 8

VOLUME 8 NUMBER 1

Publisher's Announcement	I	
		Mini Review Article
T. Manousis and N. F. Moore	1	Control of *Dacus oleae*, a major pest of olives
		Research Articles
L. M. Rogo, C. H. W. Flechtmann and E. Doreste	11	A preliminary study of the taxonomic status of cassava green spider mite complex, *Mononychellus* (Acari: Tetranychidae)
George N. Mbata	15	Preliminary observations on the incidence of insect pests and related deterioration in the quality of stored groundnut in some parts of Northern Nigeria
E. S. Nnakumusana	21	The pathogenicity of two isolates of *Pythium* spp. to mosquito larvae in the laboratory
S. A. Tarimo, L. H. Otieno and P. Onyango	25	Mixed trypanosome infection in wild *Glossina pallidipes* Aust.
D. M. Sabwa, W. A. Otieno and M. O. Odindo	29	Infection levels of *Coelomomyces indicus* Iyengar in larvae of *Anopheles gambiae* Giles, as related to the copepod fauna in breeding sites at the Kenya Coast
M. I. Mwangelwa, L. H. Otieno and G. D. F. Reid	33	Some barriers to *Trypanosoma congolense* development in *Glossina morsitans morsitans*
R. P. Yadav and J. P. Chaudhary	39	Effect of temperature and relative humidity on longevity and development of the parasitoid, *Tetrastichus pyrillae* Crawford (Hymenoptera: Eulophidae)
Anathbandhu Chaudhuri and A. K. Medda	43	Thyroxine-induced alterations in protein and nucleic acid contents of fat body of female silkworms during different developmental stages
Lucy W. Irungu	49	Studies on the *in vitro* exsheathment of *Brugia pahangi*—2. The *in vitro* exsheathment of *B. pahangi* microfilariae incubated with mosquito tissues and cells
K. Narayanan, S. Jayaraj and T. R. Subramaniam	53	Adsorption of polyhedra of a nuclear polyhedrosis virus of *Heliothis armigera* in two different types of soils
J. O. Okoth and R. Kapaata	57	A study of the resting sites of *Glossina fuscipes fuscipes* (Newstead) in relation to *Lantana camara* thickets and coffee and banana plantations in the sleeping sickness epidemic focus, Busoga, Uganda
K. Thangavelu, A. K. Bhagowati and A. K. Chakroborty	61	Diapause potential in muga silkworm, *Antheraea assama*
S. Lingappa	65	Importance of physical properties of artificial diet for the pink stem borer, *Sesamia inferens* Walker
D. E. Padgham, T. J. Perfect and A. G. Cook	71	Flight behaviour in the brown planthopper, *Nilaparvata lugens* (Stal.) (Homoptera: Delphacidae)
T. I. Ofuya	77	*Callosobruchus maculatus* (Fabricius) (Coleoptera: Bruchidae) oviposition behaviour on cowpea seeds
P. B. Deshmukh and D. M. Renapurkar	81	Insect growth regulatory activity of some indigenous plant extracts
M. D. Bentley, A. Hassanali, W. Lwande, P. E. W. Njoroge, E. N. Ole Sitayo and M. Yatagai	85	Insect antifeedants from *Tephrosia elata* Deflers

Sayed M. Moawed and Ibrahim M. Elnabrawy	89	Effectiveness of nuclear polyhedrosis virus and insecticides against the cotton leafworm, *Spodoptera littoralis* (Boisd.)
C. Inayatullah	95	Development and survival of *Apanteles flavipes* (Cam.) (Hymenoptera, Braconidae) on *Chilo partellus* (Swinh.) (Lepidoptera, Pyralidae) larvae reared on gram-flour diet
V. Jones, G. V. Pollard and C. E. Seaforth	99	Chemical deterrency of *Citrus reticulata* (Blanco) to the leaf cutting ant, *Acromyrmex octospinosus* (Reich)
Kamelia Aly Abdel-Salam and J. M. Nakhlah	103	Effect of combination treatments of gamma radiation and methyl bromide fumigation on the confused flour beetles, *Tribolium confusum* Duv.
M. S. Saleh, N. L. Kelada and A. A. Al-Fazairy	107	Toxicity of two bacterial insecticides against the larvae of mosquito *Culex pipiens* and their action on the reproductive potential and morphometric characteristics of surviving females
R. K. Kashyap and A. N. Verma	111	Factors imparting resistance to fruit damage by *Heliothis armigera* (Hubner) in some tomato phenotypes
S. K. Asante and R. Kumar	115	Distribution and abundance of *Temnoschoita quadrimaculata* Gly. (Coleoptera: Curculionidae) on oil palm, *Elaeis guineensis* Jacq. in Ghana
Johanna P. E. C. Darlington	121	Primary reproductives and royal cells of the termite *Macrotermes michaelseni*
Editorial: Software Survey Section	i	
Instructions to Authors	ii	
Author checklist	iii	

VOLUME 8 NUMBER 2

		Mini Review Article
B. U. Singh	129	Varietal resistance in sorghum to midge, *Contarinia sorghicola* Coquillett (Diptera, Cecidomyiidae)
		Research Articles
H. S. Salama, F. Shaarawy, N. Azmy, A. Sharaby and Sh. Abd-El-Aziz	145	Ultrastructure of chemoreceptors in the larvae of the American bollworm *Heliothis armigera*
Allen M. Young, Eric H. Erickson Jr, Melanie A. Strand and Barbara J. Erickson	151	Pollination biology of *Theobroma* and *Herrania* (Sterculiaceae) I. Floral biology
Tawfiq M. Mustafa and Kh. Al-Zaghal	165	Frequency of *Dacus oleae* (Gmelin) immature stages and their parasites in seven olive varieties in Jordan
F. M. E. Wanjala and B. M. Khaemba	171	Seasonal distribution and abundance of immature stages of the yellow-headed borer *Dirphya nigricornis* Olivier (Coleoptera, Cerambycidae) on coffee
I. I. Ismail, A. K. M. El-Nahal, A. H. Kamel and T. S. Mostafa	177	Effect of sublethal doses of gamma radiation on the fecundity, longevity and sterility of adults of *Sitotroga cerealella* (Olivier) (Lepidoptera, Gelechiidae)
Ramashrit Singh and Prakash Sarup	181	An improved alternative artificial diet for mass rearing of the maize stalk borer, *Chilo partellus* (Swinhoe) (Lepidoptera: Cramibidae)
H. J. Barclay	187	Models for pest control using sex pheromones and chemosterilants
M. C. Rombach, G. M. Rombach and D. W. Roberts	197	Pathogens of insect pests of rice: A bibliography
T. C. Banerjee and A. K. Mahapatra	211	Cannibalism in phytophagous *Argina cribraria* larvae and its possible significance

G. P. Kaaya, N. Darji and L. H. Otieno 217 Effects of bacteria, antibacterial compounds and trypanosomes on tsetse reproduction and longevity

Julius I. Olaifa, Wilson O. Erhun and A. E. Akingbohungbe 221 Insecticidal activity of some Nigerian plants

N. C. Kumarasinghe and Jayanthi P. Edirisinghe 225 Oothecal parasites of *Periplaneta americana*: Parasitization and development in relation to host age

Lucy W. Irungu 229 Studies on the *in vitro* exsheathment of *Brugia pahangi*—1. The effects of abdomen and midgut homogenates of susceptible *Aedes aegypti* compared with refractory *Anopheles stephensi* and *Culex quinquefasciatus* on endopeptidase induced in *in vitro* exsheathment of *B. pahangi*

J. Muthukrishnan and M. Senthamizhselvan 235 Effect of parasitization by *Apanteles flavipes* on the biochemical composition of *Diacrisia obliqua*

A. O. Adenuga and K. Adeboyeku 239 Notes on distribution of ant-Homoptera interaction on selected crop plants

Titus K. Mukiama 245 Genetic variation in wild *Anopheles arabiensis* Patton of Mwea Irrigation Scheme, Kenya

Bogumil Leszczynski 251 Winter wheat resistance to the grain aphid *Sitobion avenae* (Fabr.) (Homoptera, Aphididae)

P. L. Tandon and G. K. Veeresh 255 Appropriate transformation for the population counts of citrus green scale, *Coccus viridis* (Green) (Coccidae, Homoptera)

S. C. Rawlins and A. Mansiwgh 259 A review of ticks and screwworms affecting livestock in the Caribbean

Kamelia A. Abdel-Salam 269 Radiosensitivity of eggs of the rice moth, *Corcyra cephalonica*

Editorial: Software Survey Section i

Instructions to Authors ii

Author checklist iii

VOLUME 8 NUMBER 3

Announcement i

Mini Review Article

N. F. Moore, L. A. King and R. D. Possee 275 Viruses of insects

Research Articles

W. F. Snow 291 New records for the tsetse, *Glossina pallidipes* Austen, from Southern Sudan

V. A. O Okoth, Z. T. Dabrowski G. Thottappily and H. V. van Emden 295 Comparative analysis of some parameters affecting maize streak virus (MSV) transmission of various *Cicadulina* spp. populations

Barbara J. Erickson, Allen M. Young, Melanie A. Strand and Eric H. Erickson, Jr 301 Pollination biology of *Theobroma* and *Herrania* (Sterculiaceae)—II. Analyses of floral oils

C. A. Kyorku and J. M. Raybould 311 Preliminary studies on egg-mass development in the *Simulium damnosum* Theobald complex (Diptera: Simuliidae)

George N. Mbata 317 Studies on induction of larval diapause in a Nigerian strain of *Plodia interpunctella* (Hubner) (Lepidoptera: Pyralidae)

M. Dagnogo, K. Lohuirignon and J. P. Eouzan 323 Capture de *Glossina palpalis palpalis* (Rob. Desv.), 1830 faite an piege biconique et sur captureur dans differents biotopes de la region de Daloa (Cote d'Ivoire)

I. I. Ismail, A. K. M. El-Nahal, A. H. Kamel and T. M. Mostafa	327	Effect of gamma radiation on the different stages of the angoumois grain moth, *Sitotroga cerealella* (Olivier) (Lepidoptera: Gelechiidae)
F. M. E. Wanjala and B. M. Khaemba	331	Some factors pertaining to coffee shoots and within canopies affecting the distribution of the yellow-headed borer, *Dirphya nigricornis* Olivier (Coleoptera: Cerambycidae) egg niches in Kenya
Hugues L. Raymond	337	Interet des pieges de malaise appates au gaz carbonique pour l'etude des taons crepusculaires (Diptera, Tabanidae) de Guyane Francaise
S. L. Omo Malaka	343	Establishment of foraging trail qualification of trail pheromone by *Amitermes evuncifer* Silvestri (Isoptera; Termitidae; Termitinae)
A. G. Ibrahim and M. J. W. Copland	351	Effects of temperature on the reproduction of *Saisetia coffeae* and its parasitoids
Nadia Z. Dimetry, S. el Sherif and I. A. Ismail	355	Photoperiod as extrinsic factor controlling the population in the American bollworm, *Heliothis armigera* (Hub.)
S. N. Ghosh, M. Bhattacharya and S. R. V. Rao	359	DNA replication in the spermatogonial cells of *Gryllotalpa fossar* and *Schistocerca gregaria*
Sayed M. Moawed and Nadia Shehata	365	Effects of the nuclear polyhedrosis virus of the Egyptian cotton leafworm, *Spodoptera littoralis* (Boisd.) on the Mediterranean fruit fly, *Ceratitis capitata* (Wied.)
G. L. Chavez and K. V. Raman	369	Evaluation of trapping and tray types to reduce damage to potatoes by the leafminer, *Liriomyza huidobrensis* (Diptera; Agromyzidae)
I. A. Parh, E. N. Tanyimboh and C. C. Azubuike	373	Studies on the control of the cabbage aphid, *Brevicoryne brassicae* L. in Jos Plateau, Nigeria
S. N. Okiwelu, O. O. Adu and V. M. Okonkwo	379	The effect of *Sitophilus zeamais* (Mots) (Coleoptera: Curculionidae) on the quality and viability of stored maize in Nigeria
Book Review	385	
Software Survey Section: Editorial	i	
Form	ii	
Instructions to Authors	iii	
Author Checklist	iv	

VOLUME 8 NUMBER 4/5/6

SPECIAL ISSUE
ADVANCES IN RESEARCH ON TROPICAL ENTOMOLOGY

Thomas R. Odhiambo	387	Editor's Foreword

PLENARY LECTURES I-III

Thomas R. Odhiambo	391	Pure research and science policy in tropical developing countries
G. G. M. Schulten	397	Challenges facing agricultural entomology in the tropics
Virendra K. Gupta	407	Development of taxonomic resources in the tropics

SYMPOSIUM I: BIOSYSTEMATIC SERVICES FOR ENTOMOLOGY IN THE TROPICS

K. M. Harris	415	Introduction

K. M. HARRIS 417 Introduction and statement of user needs

G. G. M. SCHULTEN 421 FAO's need for biosystematic services for entomology in the tropics

T. N. ANANTHAKRISHNAN 423 Biosystematic studies in India—Progress, prospects and constraints

J. MARK RITCHIE 425 Insect biosystematic services in Africa: Current status and future prospects

SYMPOSIUM II: BIOTYPES, POLYMORPHISM AND CO-EVOLUTION IN TROPICAL INSECTS

T. N. ANANTHAKRISHNAN 435 Implications of polymorphism in Thysanoptera

K. M. HARRIS 441 Gall midges in tropical agriculture

K. Y. KANESHIRO 447 Speciation via sexual selection versus adaptive evolution in Hawaiian *Drosophila*

R. C. SAXENA and A. A. BARRION 453 Biotypes of insect pests of agricultural crops

MURRAY S. BLUM, DOUGLAS W. WHITMAN, RAY F. SEVERSON and RICHARD F. ARRENDALE 459 Herbivores and toxic plants: Evolution of a menu of options for processing allelochemicals

TAKESHI AGATSUMA 465 Genetic differentiation among natural populations of the vector of onchocerciasis, *Simulium ochraceum* in Guatemala

SYMPOSIUM III: LIFE-HISTORY TRAITS IN TROPICAL INSECTS

DAVID L. DENLINGER 473 Introduction

SINZO MASAKI, ISSEI SHIRADO and ATSUSHI NAGASE 475 Tropical, subtropical and temperate life cycles in ground crickets

WILFRIED PAARMANN and NIGEL E. STORK 483 Seasonality of ground beetles (Coleoptera: Carabidae) in the rain forests of N. Sulawesi (Indonesia)

D. H. JANZEN 489 How moths pass the dry season in a Costa Rican dry forest

G. M. CHIPPENDALE and M. Z. MAHMALJI 501 Seasonal life history adaptations of a neotropical corn borer, *Diatraea grandiosella*

SEIJI TANAKA, HENK WOLDA and DAVID L. DENLINGER 507 Seasonality and its physiological regulation in three neotropical insect taxa from Barro Colorado Island, Panama

R. E. JONES 515 Reproductive strategies for the seasonal tropics

JOACHIM ADIS and HELMUT STURM 523 Flood-resistance of eggs and life-cycle adaptation, a survival strategy of *Neomachilellus scandens* (Meinertellidae, Archaeognatha) in Central Amazonian inundation forests

SYMPOSIUM IV: MIGRATION AND DISPERSAL OF TROPICAL NOCTUID MOTHS

ROGER A. FARROW and GARRICK MCDONALD 531 Migration strategies and outbreaks of noctuid pests in Australia

S. J. JOHNSON 543 Migration and the life history strategy of the fall armyworm, *Spodoptera frugiperda* in the western hemisphere

PETER ONYANGO ODIYO 551 The use of biogeographical techniques in the study of migrant noctuid moths

D. J. W. ROSE, C. F. DEWHURST, W. W. PAGE and L. D. C. FISHPOOL 561 The role of migration in the life system of the African armyworm, *Spodoptera exempta*

CHEN RUILO and BAO ZIANGSHI 571 Research on the migration of oriental armyworm in China and a discussion of management strategy

A. G. Gatehouse 573 Migration and low population density in armyworm (Lepidoptera: Noctuidae) life histories

Abner M. Hammond and Howard W. Fescemyer 581 Physiological correlates in migratory noctuids: The velvetbean caterpillar as a model

Jeremy N. McNeil 591 The true armyworm, *Pseudaletia unipunctata*: A victim of the "Pied Piper" or a seasonal migrant?

D. E. Pedgley, M. R. Tucker and C. S. Pawar 599 Windborne migration of *Heliothis armigera* (Hubner) (Lepidoptera: Noctuidae) in India

A. G. Gatehouse 605 Migration and dispersal of tropical noctuid moths: Summing up the symposium

SYMPOSIUM V: HOST-SEEKING MECHANISMS OF ARTHROPODS OF MEDICAL AND VETERINARY IMPORTANCE

James F. Sutcliffe 611 Distance orientation of biting flies to their hosts

John D. Edman and Thomas W. Scott 617 Host defensive behaviour and the feeding success of mosquitoes

Rachel Galun 623 Regulation of blood gorging

Susan B. McIver 627 Sensilla of haematophagous insects sensitive to vertebrate host-associated stimuli

E. E. Davis, D. A. Haggart and M. F. Bowen 637 Receptors mediating host-seeking behaviour in mosquitoes and their regulation by endogenous hormones

S. M. Waladde 643 Receptors involved in host location and feeding in ticks

G. A. Norton 649 Pests, development and economics: Some thoughts on research evaluation

SYMPOSIUM VI: ECONOMIC IMPACT OF INSECTS IN THE TROPICS

C. P. Pant 655 Vector-borne diseases of man and their socio-economic impact

P. T. Walker 665 Losses in yield due to pests in tropical crops and their value in policy decision-making

C. P. F. De Lima 673 Insect pests and postharvest problems in the tropics

J. A. Litsinger, B. L. Canapi, J. P. Bandong, C. G. Dela Cruz, R. F. Apostol, P. C. Pantua, M. D. Lumaban, A. L. Alviola III, F. Raymundo, E. M. Libertario and R. C. Joshi 677 Rice crop loss from insect pests in wetland and dryland environments of Asia with emphasis on the Philippines

SYMPOSIUM VII: CONVENTIONAL AND NOVEL PESTICIDES IN TROPICAL PEST MANAGEMENT

R. I. Egwuatu 695 Current status of conventional insecticides in the management of stored product insect pests in the tropics

T. D. Yadav 703 Current status of conventional insecticides in stored product insect management in India

C. F. Curtis and J. D. Lines 709 Insecticides in the management of insect vectors of tropical disease

I. R. Kay and P. J. Collins 715 The problem of resistance to insecticides in tropical insect pests

G. K. C. Nyirenda 723 Recent developments in the application machinery for insect pest management, with particular reference to small scale farmers in the tropics

R. C. Saxena 731 Antifeedants in tropical pest management

D. G. Campion, D. R. Hall and P. F. Prevett 737 Use of pheromones in crop and stored products pest management: Control and monitoring

M. T. EL-IBRASHY 743 Juvenoids and related compounds in tropical pest management: A review

SYMPOSIUM VIII: PLANT RESISTANCE IN TROPICAL INSECT PEST MANAGEMENT

Z. T. DABROWSKI 757 Some parameters affecting suitability of *Cicadulina* species for resistance screening to maize streak virus (MSV)

S. R. SINGH 765 Host plant resistance for cowpea insect pest management

E. A. AKINSOLA 771 Varietal resistance to stemborer pests of rice management in West Africa: A review

N. S. TALEKAR 777 Host plant resistance to insects attacking soybean and mungbean in the tropics

M. J. BERLINGER and R. DAHAN 783 Breeding for resistance to virus transmission by whiteflies in tomatoes

SYMPOSIUM IX: BIOLOGICAL AND CULTURAL TECHNIQUES IN TROPICAL CROP PEST AND VECTOR MANAGEMENT

D. J. GREATHEAD 787 Prospects for biological control in the tropics

V. S. BHATNAGAR 791 Conservation and encouragement of natural enemies of insect pests in dryland subsistence farming: Problems, progress and prospects in the Sahelian zone

I. A. D. ROBERTSON 797 The whitefly *Bemisia tabaci* (Gennadius) as a vector of African cassava mosaic virus at the Kenya coast and ways in which the yield losses in cassava, *Manihot esculenta* Crantz caused by the virus can be reduced

D. G. CAMPION and M. M. HOSNY 803 Biological, cultural and selective methods for control of cotton pests in Egypt

SYMPOSIUM X: SWEETPOTATO WEEVIL

N. S. TALEKAR 809 Influence of cultural pest management techniques on the infestation of sweetpotato weevil

N. S. TALEKAR 815 Feasibility of the use of resistant cultivar in sweetpotato weevil control

N. S. TALEKAR 819 Resistance in sweetpotato to sweetpotato weevil

K. A. SORENSEN 825 Cultural, regulational and educational programmes on the sweetpotato weevil in the United States

SYMPOSIUM XI: AFRICA-WIDE BIOLOGICAL CONTROL PROGRAMME OF CASSAVA PESTS

H. R. HERREN 833 Introduction

H. R. HERREN 835 Acknowledgements

H. R. HERREN 837 A review of objectives and achievements

GILBERTO J. DE MORAES 841 Importance of taxonomy in biological control

A. C. BELLOTTI, N. MESA, M. SERRANO, J. M. GUERRERO and C. J. HERRERA 845 Taxonomic inventory and survey activity for natural enemies of cassava green mites in the Americas

F. SCHULTHESS, J. U. BAUMGARTNER and H. R. HERREN 851 Factors influencing the life table statistics of the cassava mealybug *Phenacoccus manihoti*

P. Neuenschwander and D. Sullivan 857 Interactions between the endophagous parasitoid *Epidinocarsis lopezi* and its host, *Phenacoccus manihoti*

J. S. Yaninek, H. R. Herren and A. P. Gutierrez 861 The biological basis for the seasonal outbreak of cassava green mites in Africa

H. Van Den Berg and R. H. Markham 867 Prey preference and reproductive success of the predatory mite *Neoseiulus idaeus* on the prey species *Mononychellus tanajoa* and *Tetranychus lombardinii*

B. Megevand, J. S. Yaninek and D. D. Friese 871 Classical biological control of the cassava green mite

D. D. Friese, B. Megevand and J. S. Yaninek 875 Culture maintenance and mass production of exotic phytoseiids

T. Haug, H. R. Herren, D. J. Nadel and J. D. Akinwumi 879 Technologies for the mass-rearing of cassava mealybugs, cassava green mites and their natural enemies

H. R. Herren, T. J. Bird and D. J. Nadel 883 Technology for automated aerial release of natural enemies of the cassava mealybug and cassava green mite

W. N. O. Hammond, P. Neuenschwander and H. R. Herren 887 Impact of the exotic parasitoid *Epidinocarsis lopezi* on cassava mealybug (*Phenacoccus manihoti*) populations

P. Neuenschwander, W. N. O. Hammond and R. D. Hennessey 893 Changes in the composition of the fauna associated with the cassava mealybug, *Phenacoccus manihoti*, following the introduction of the parasitoid *Epidinocarsis lopezi*

R. D. Hennessey and T. Muaka 899 Field biology of the cassava mealybug, *Phenacoccus manihoti* and its natural enemies in Zaire

S. Korang-Amoakoh, R. A. Cudjoe and R. K. Adjakloe 905 Biological control of cassava pests in Ghana

R. H. Markham, I. A. D. Robertson and R. A. Kirkby 909 Cassava green mite in East Africa: A regional approach to research and control

A. Wodageneh and H. R. Herren 915 International co-operation: Training and initiation of national biological control programmes

A. P. Gutierrez, B. Wermelinger, F. Schulthess, J. U. Baumgartner, J. S. Yaninek, H. R. Herren, P. Neuenschwander, B. Lohr, W. N. O. Hammond and C. K. Ellis 919 An overview of a systems model of cassava and cassava pests in Africa

SYMPOSIUM XII: TRAINING IN TROPICAL ENTOMOLOGY

R. Kumar 927 University training of entomologists especially taxonomists in tropical Africa

A. Van Huis, N. Kane and L. Den Boer 937 Needs and constraints of crop protection training in the Sahel

M. E. Smalley 943 A model for a regional collaborative training programme in the insect sciences

Mary J. N. Okwakol and Eldad M. Tukahirwa 951 The development of books and other resource materials for training tropical entomologists

Carl S. Barfield, John R. Strayer and Keith L. Andrews 955 Programmed instructional materials for enhancing pest management teaching

G. G. M. Schulten 961 Needs for training in entomology

CONTRIBUTED PAPERS

Roger Farrow 969 Effects of changing land use on outbreaks of tropical migratory locust, *Locusta migratoria migratorioides* (R. & F.)

Million Abebe 977 Insect pests of coffee with special emphasis on antestia *Antestiopsis intricata* (Ghesquiere and Carayon) in Ethiopia

J. N. Ayertey and J. O. Ibitoye 981 Infestation of maize and sorghum seeds by *Sitophilus*, *Rhizopertha* and *Sitotroga* in three contiguous climatic zones in Nigeria

R. Von Arx, J. Goueder, M. Cheikh and A. Ben Temime 989 Integrated control of potato tubermoth *Phthorimaea operculella* (Zeller) in Tunisia

G. W. Oloo, C. K. P. O. Ogol and K. O. Kambona 995 Biotaxonomy of cassava green spider mites, *Mononychellus* spp. (Tetranychidae): "Life type" as a possible biological criterion for their identification

I. Javaid, J. N. Zulu, G. A. Matthews and G. A. Norton 1001 Cotton insect pest management on small scale farms in Zambia: I. Farmers perceptions

I. Javaid, J. N. Zulu, G. A. Matthews and G. A. Norton 1007 Cotton insect pest management on small scale farms in Zambia: II. Training and source of advice

PLENARY LECTURE IV

K. M. Harris 1019 Summing up

Software Survey Section: Editorial i

Form ii

Instructions to Authors iii

Author Checklist iv

AUTHOR INDEX

Abd-el-Aziz, Sh. 145
Abdel-Salam, Kamelia Aly 103, 269
Adeboyeku, K. 239
Adenuga, A. O. 239
Adis, Joachim 523
Adjakloe, R. K. 905
Adu, O. O. 379
Agatsuma, Takeshi 465
Akingbohungbe, A. E. 221
Akinsola, E. A. 771
Akinwumi, J. D. 879
Al-Fazairy, A. A. 107
Alviola, A. L., III 677
Al-Zaghal, Kh. 165
Ananthakrishnan, T. N. 423, 435
Andrews, Keith L. 955
Apostol, R. F. 677
Arrendale, Richard F. 459
Arx, R. von 989
Asante, S. K. 115
Ayertey, J. N. 981
Azmy, N. 145
Azubuike, C. C. 373

Bandong, J.P. 677
Banerjee, T. C. 211
Bao Ziangshi 571
Barclay, H. J. 187
Barfield, Carl S. 955
Barrion, A. A. 453
Baumgartner, J. U. 919
Bellotti, A. C. 845
Ben Temime, A. 989
Bentley, M. D. 85
Berg, H. van den 867
Berlinger, M. J. 783
Bhagowati, A. K. 61
Bhatnagar, V. S. 791
Bhattacharya, M. 359
Bird, T. J. 883
Blum, Murray S. 459
Boer, L. den 937
Bowen, M. F. 637

Campion, D. G. 737, 803
Canapi, B. L. 677
Chakroborty, A. K. 61
Chaudhary, J. P. 39
Chaudhuri, Anathbandhu 43
Chavez, G. L. 369
Cheikh, M. 989
Chen Ruilo 571
Chippendale, G. M. 501
Collins, P. J. 715
Cook, A. G. 71
Copland, M. J. W. 351
Cudjoe, R. A. 905
Curtis, C. F. 709

Dabrowski, Z. T. 295, 757
Dagnogo, M. 323
Dahan, R. 783
Darji, N. 217
Darlington, Johanna P. E. C. 121
Davis, E. E. 637

Dela Cruz, C. G. 677
de Lima, C. P. F. 673
de Moraes, Gilberto J. 841
Denlinger, David L. 473, 507
Deshmukh, P. B. 81
Dewhurst, C. F. 561
Dimetry, Nadia Z. 355
Doreste, E. 11

Edirisinghe, Jayanthi P. 225
Edman, John D. 617
Egwuatu, R. I. 693
El-Ibrashy, M. T. 743
Ellis, C. K. 919
Elnabrawy, Ibrahim M. 89
El-Nahal, A. K. M. 177, 327
El Sherif, S. 355
Emden, H. F. van 295
Eouzan, J. P. 323
Erhun, Wilson O. 221
Erickson, Barbara J. 151, 301
Erickson, Eric H., Jr. 151, 301

Farrow, Roger A. 531, 969
Fescemyer, Howard W. 581
Fishpool, L. D. C. 561
Flechtmann, C. H. W. 11
Friese, D. D. 871

Galun, Rachel 623
Gatehouse, A. G. 573, 605
Ghosh, S. N. 359
Goueder, J. 989
Greathead, D. J. 787
Guerrero, J. M. 845
Gupta, Virendra K. 407
Gutierrez, A. P. 861, 919

Haggart, D. A. 637
Hall, D. R. 737
Hammond, Abner M. 581
Hammond, W. N. O. 887, 893, 919
Harris, K. M. 415, 417, 441, 1019
Hassanali, A. 85
Haug, T. 879
Hennessey, R. D. 893, 899
Herren, H. R. 833, 835, 837, 861, 879, 883, 889, 915, 919
Herrera, C. J. 845
Hosny, M. M. 803
Huis, A. van 937

Ibitoye, J. O. 981
Ibrahim, A. G. 351
Inayatullah, C. 95
Irungu, Lucy W. 49, 229
Ismail, I. A. 355
Ismail, I. I. 177, 327

Janzen, D. H. 489
Javaid, I. 1001, 1007
Jayaraj, S. 53
Johnson, S. J. 543
Jones, R. E. 515
Jones, V. 99

Joshi, R. C. 677

Kaaya, G. P. 217
Kambona, K. O. 995
Kamel, A. H. 177, 327
Kane N. 937
Kaneshiro, Kenneth Y. 447
Kapaata, R. 57
Kashyap, R. K. 111
Kay, I. R. 715
Kelada, N. L. 107
Khaemba, B. M. 171, 331
King, L. A. 275
Kirkby, R. A. 909
Korang-Amoakoh, S. 905
Kumar, R. 115, 927
Kumarasinghe, N. C. 225
Kyorku, C. A. 311

Leszczynski, Bogumil 251
Libertario, E. M. 677
Lines, J. D. 709
Lingappa, S. 65
Litsinger, J. A. 677
Lohr, B. 919
Lohuirignon, K. 323
Lumaban, M. D. 677
Lwande, W. 85

McDonald, Garrick 531
McIver, Susan B. 627
McNeil, Jeremy N. 591
Mahapatra, A. K. 211
Mahmalji, M. Z. 501
Manousis, T. 1
Mansingh, A. 259
Markham, R. H. 867, 909
Masaki, Sinzo 475
Matthews, G. A. 1001, 1007
Mbata, George N. 15, 317
Medda, A. K. 43
Megevand, B. 871
Mesa, N. 845
Million Abebe 977
Moawed, Sayed M. 89, 365
Moore, N. F. 1, 275
Mostafa, T. M. 327
Mostafa, T. S. 177
Muaka, T. 899
Mukiama, Titus K. 245
Mustafa, Tawfiq M. 165
Muthukrishnan, J. 235
Mwangelwa, M. I. 33

Nadel, D. J. 879, 883
Nagase, Atsushi 475
Nakhlah, Joseph Mitry 103
Narayanan, K. 53
Neuenschwander, P. 857, 887, 893, 919
Njoroge, P. E. W. 85
Nnakumusana, E. S. 21
Norton, G. A. 649, 1001, 1007
Nyirenda, G. K. C. 723

Odhiambo, Thomas R. 387, 391
Odindo, M. O. 29
Odiyo, Peter Onyango 551
Ofuya, T. I. 77
Ogol, C. K. P. O. 995
Okiwelu, S. N. 379
Okonkwo, V. N. 379
Okoth, J. O. 57
Okoth, V. A. O. 295
Okwakol, Mary J. N. 951
Olaifa, Julius I. 221
Oloo, G. W. 995
Omo Malaka, S. L. 343
Onyango, P. 25
Otieno, L. H. 25, 33, 217
Otieno, W. A. 29

Paarmann, Wilfried 483
Padgham, D. E. 71
Page, W. W. 561
Pant, C. P. 655
Pantua, P. C. 677
Parh, I. A. 373
Pawar, C. S. 599
Pedgley, D. E. 599
Perfect, T. J. 71
Pollard, G. V. 99
Possee, R. D. 275
Prevett, P. F. 737

Raman, K. V. 369
Rao, S. R. V. 359
Rawlins, S. C. 259
Raybould, J. N. 311
Raymond, Hugues L. 337
Raymundo, F. 677
Reid, G. D. F. 33
Renapurkar, D. M. 81
Ritchie, J. Mark 425
Roberts, D. W. 197
Robertson, I. A. D. 797, 909
Rogo, L. M. 11
Rombach, G. M. 197
Rombach, M. C. 197
Rose, D. J. W. 561

Sabwa, D. M. 29
Salama, H. S. 145
Saleh, M. S. 107
Sarup, Prakash 181
Saxena, R. C. 453, 731
Schulten, G. G. M. 397, 421, 961
Schulthess, F. 919
Scott, Thomas W. 617
Seaforth, C. E. 99
Senthamizhselvan, M. 235
Serrano, M. 845
Severson, Ray F. 459
Shaarawy, F. 145
Sharaby, A. 145
Shehata, Nadia F. 365
Shirado, Issei 475
Singh, B. U. 129
Singh, Ramashrit 181
Singh, S. R. 765
Sitayo, E. N. Ole 85
Smalley, M. E. 943
Snow, W. F. 291
Sorensen, K. A. 825
Stork, Nigel E. 483
Strand, Melanie A. 151, 301
Strayer, John R. 955
Sturm, Helmut 523
Subramaniam, T. R. 53
Sullivan, D. 857
Sutcliffe, James F. 611

Talekar, N. S. 777, 809, 815, 819
Tanaka, Seiji 507
Tandon, P. L. 255
Tanyimboh, E. N. 373

Tarimo, S. A. 25
Thangavelu, K. 61
Thottappilly, G. 295
Tucker, M. R. 599
Tukahirwa, Eldad M. 951

Veeresh, G. K. 255
Verma, A. N. 111

Waladde, S. M. 385, 643
Walker, P. T. 665
Wanjala, F. M. E. 171, 331
Wermelinger, B 919
Whitman, Douglas W. 459
Wodageneh, A. 915
Wolda, Henk 507

Yadav, R. P. 39
Yadav, T. D. 703
Yaninek, J. S. 861, 871, 919
Yatagai, M. 85
Young, Allen M. 151, 301

Zulu, J. N. 1001, 1007

SUBJECT INDEX

Acantholepsis 240
acaricides 261–266
Acorus calamus 81–83
Acrae eponina 221–223
Acromyrmex octospinosus
  chemical deterrent against 99–102
adaptive evolution of Hawaiian *Drosophila* 447–452
Adelothrips cracens 437
adsorption, soil
  of polyhedra 53–56
Aedes aegypti 624, 629–632, 638–639, 656
  microfilariae in 49–51
  pathogenicity 21–24
  susceptibility to microfilariae 229–234
Aedes africanus 21–22
Aedes polynesiensis 656
Aedes simpsoni 21–22
Aedes triseriatus 638
Aellopos titan 498
Africa
  biosystematic services 425–432
  Mononychellus taxonomy 11–13
  outbreaks of cassava green mite 861–865
  training entomologists 927–935
African armyworm 551–559, 561–569, 605–608
African cassava mosaic virus 797–801
African Regional Postgraduate Programme in Insect Science 931–932, 943–949
Africa-wide Biological Control Programme of Cassava Pests 831–924, 966
Agamermis unka 199
age, *Glossina* 33–36
age-specific life tables
  for *Phenacoccus manihoti* 851–856
agricultural entomology
  biotypes of crop pests 453–458
  challenges in the tropics 397–405
agromyzids 777–782
Agrotis infusa 531–542
Agrotis ipsilon 531–542, 551–559
Agrotis munda 532–542
allelochemicals 459–463
Allium canadense 460–461
allozyme variation 245–249
Amblyomma americanum 263, 644
Amblyomma cajennense 259–264
Amblyomma variegatum 259–264
Amblyseius 847
Amitermes evuncifer 343–350
Amphimermis zuiaushi 199
Anagyrus 893–898, 900
Ananas cosmosas 240–241
angoumois grain moth
  effect of radiation 327–329
Anjeerodiplosis peshawarensis 442
Anocentor nitens 259–262
Anomala expansa 779
Anopheles arabiensis 710, 713
  genetic variation 245–249
Anopheles culicifacies 710
Anopheles dirus 624, 713
Anopheles freeborni 624
Anopheles gambiae 624, 712–713
  infection levels 29–32
  pathogenicity 21–22, 24
Anopheles pseudopunctipennis 713
Anopheles stepgebsu 624
Anopheles stephensi 624, 638, 656
  refractory to microfilariae 229–234
Anoplocnemis curvipes 767
ant 677–692
  Homoptera interaction 239–243
antestia 977–980
Antestiopsis facetoides 978–979
Antestiopsis intricata 977–980
Antestiopsis orbitalis 977–978
Antheraea assama
  diapause potential 61–63
Anthonomus grandis 402
antibacterial compounds
  effect on *Glossina* 217–220
antibiosis 137, 251–252, 816–817
Anticarsia gemmatalis 581–589, 606
antifeedants
  from *Citrus reticulata* 99–102
  from *Tephrosia elata* 85–88
  in tropical pest management 731–736
antixenosis 132, 136–137, 251–252
Apanteles flavipes
  biology of 95–97
  on *Diacrisia obliqua* 235–238
aphids
  on cotton in Zambia 1001–1006
  grain aphid 251–254
  resistant cowpeas 765–769
Aphis (*Citricola* group) 240–241
Aphis craccivora 240–241
Aphis gossypii 1001–1006
Araecerus fasciculatus 698
arboviruses 621
Argas 260
Argina cribraria
  cannibalism 211–215
Aridelus coffea 980
Armyworm Forecast Service 551–559, 606
armyworms 200, 202, 543–549
  migratory strategies 573–580
  see also African armyworm, oriental armyworm, true armyworm
ARPPIS 931–932, 943–949
Arsenura armida 492–493
arthropod-borne diseases 617–622
artificial diet 65–69, 181–185
Asolcus suranus 980
Aspergillus flavus 198
Asphondylia sesami 442–443
Atherigona oryzae 679
Atopomyrmex mocquerysi 240
Australia
  noctuid pests 531–542, 605–608
Autographa californica 277
Azadirachta indica
  insect growth regulator 81–83
  insecticidal activity 221–222, 731–736

Bacillus 201
Bacillus cereus 199
Bacillus sphaericus 107–110
Bacillus subtilis 199
Bacillus thuringiensis 1, 5, 200–202
  against blackflies 711
  against *Culex pipiens* 107–110
  bait sprays
  on olive fruit fly 3, 4
bacteria, insect 197–210
Bactrothrips idolomorphus 436
baculoviruses 275–277
Balanogastris kolae 696
banana pests 665–671
  resistance 715–721
banana plantations
  Glossina resting sites 57–60
Beauveria bassiana 198, 200–201
behavioural resistance 709–714
Bemisia hancocki 799
Bemisia tabaci 783–784, 797–801
bibliography
  insect pests of rice 197–210
biogeographical techniques
  for noctuid control 551–559, 607
biological control 403–404, 787–789, 791–795
  of cassava pests 837–840, 854–859, 857–859, 867–869, 871–874, 875–878, 879–881, 887–891, 893–898, 899–903, 905–907, 909–914
  of cotton pests 89–93, 1003–1004
  importance of taxonomy 841–844
  of mosquito larvae 107–110
  national programmes 915–918
  of olive fruit fly 1–9, 168
  training 966
  with viruses 275–287
  see also natural enemies
biological diversity 407–412
biology
  Contarinia sorghicola 129–144
  tick 261
biosystematics 407–412, 417–419, 421–422, 423–424, 425–432
biotypes 453–458
birds
  predators on ticks 263
Birnaviridae 282–283
biting flies
  distance orientation to hosts 611–616
black bugs 20
blackflies *see Simulium* listings

blood-feeding 611–616, 617–622
regulation of gorging 623–625
sensilla studies 627–635
Bogosia rubens 980
boll weevil 402
bollworm
American 605–608, 1001–1006
biogeographical studies 551–559
control in Egypt 803–805
effect of photoperiod 355–358
red 1001–1006
ultrastructures 145–150
Bombyx mori 43–48
Boophilus microplus 259–264, 644–646
Brachinus bigutticeps 485
Bracon hebetor 791–795
Brazil
meinertellid survival 523–528
breeding for resistance, plant 138–139
breeding sites
Temnoschoita quadrimaculata 115–116, 118, 120
Brevicoryne brassicae
control 373–377
Brugia pahangi 49–51, 229–234

cabbage aphid 373–377
cacao
ant-Homoptera interactions 239–243
pollination biology 301–310
Cajanus cajan 239–243
Caliciviridae 276, 282–283
Calleida permunda 485–486
Callosobruchus chinensis 705, 781
Callosobruchus maculatus 696, 700, 703–707, 767, 781
oviposition behaviour 77–79
Camponotus acvapimensis 240–243
cannibalism in *Argina cribraria* 211–215
Carabidae in rain forests 483–487
carbon dioxide bait 337–341
Caribbean
ticks 259–267
Caryedon serratus 18, 698
caseworms 200
cassava
Africa-wide Biological Control Programme of Cassava Pests 833, 835, 837–840
systems model 919–924
yield losses 797–801
see also cassava green mite, cassava mealybug
cassava green (spider) mite 670, 837–840
biological control 871–874, 875–878, 883–885, 905–907, 909–914, 915–918
mass rearing 879–881
natural enemies 845–849, 867–869
predator on 867–869
seasonal outbreaks 861–865
systems model 919–924
taxonomy 11–13, 995–999
training 961–966
cassava mealybug 402, 670, 837–840
biological control 883–885, 887–891, 899–903, 905–907, 915–918
field biology 899–903
host-parasite interactions 857–859, 893–898
life table statistics 851–856
mass rearing 879–881
systems model 919–924
Cassia mimosoides 240–241
Catascopus aculeatus 485
catchers, tsetse 323–326
catnip 461–463
Catopsilia pomona 516–519
cecidomyiids 441–445
Cediopsylla simplex 633
Cephalosporium 198
Ceratitis capitata
nuclear polyhedrosis virus effects 365–368
Ceroplastes 240, 242
Chagas' disease
socio-economic impact 655–664
Chartocerus 893–898, 902–903
cheliceral receptors 643–647
chemical composition
of parasite affected by host 235–238
chemical control
of cabbage aphid 373–377
on confused flour beetle 103–106
of cotton leafworm 89–93
of olive fruit fly 3, 168–169
see also acaricides, insecticides
chemical deterrents in mandarin orange 99–102
chemoreceptors, ultrastructure 145–150
chemosterilants used in control 187–196
Chilo 198–199, 202
Chilo auricilius 198, 682, 737–741
Chilo partellus
for rearing parasites 95–97
mass rearing diet 181–185
Chilo saccharifagus 737–741
Chilo simplex 198–199
Chilo suppressalis 199, 201–202, 682
Chilo zacconius 199, 202, 771–776
China
oriental armyworm 571–572
chinaberry 731–736
Chlorophora excelsa 240–241
Chlorotabanus inanis 337–341
Chlorotabanus mexicanus 337–341
Chrysocharis 369, 371
Chrysocharis phytomyzae 369, 371
Chrysodeixis 531–542
Chrysodeixis argentifera 532
Chrysodeixis eriosoma 532
Chytridiomycotina 199
Cicadulina 295–300
Cicadulina arachidis 757–764
Cicadulina ghaurii 757–764
Cicadulina mbila 295–300, 757–764
Cicadulina similis 757–764
Cicadulina storeyi 757–764
Cicadulina triangula 295–300, 757–764
Cicindela decemguttata 486
Cicindela discreta 486–487
Cicindelinae
seasonality in rain forests 483–487
CILSS 937–941
Cimex lectularius 632–633
Citrus 240–241
citrus green scale 255–257
Citrus reticulata 99–102
Citrus sinensis 221–222
Clavigralla shadabi 767
Clavigralla tomentosicollis 767
climatic adaptations
in *Dianemobius* 475–481
Cnaphalocrocis medinalis 198, 200–202, 678, 680, 682
Coccus hesperidum 240–241
Coccus viridis population counts 255–257
Cochliomyia hominivorax 259, 264–266
cockroach, Americana
parasitism on 225–227
Coelomomyces indicus 29–32
Cofana spectra 198–199
Coffea 240
Coffea arabica 171
pests 977–980
Coffea canephora 979
coffee pests 977–980
coffee plantations
Dirphya nigricornis distribution 171–175
Glossina resting sites 57–60
yellow-headed borer 331–336
Colpodes placidus 486
computer-aided instruction 955–959
confused flour beetle 103–106
Conidiobolus coronatus 199, 201
conservation and biological control 791–795
Contarinia citri 442, 444
Contarinia coffeae 442–444
Contarinia okadai 442
Contarinia sorghicola
sorghum pest 441–444
sorghum resistance to 129–144
control
armyworm 551–559, 561–569, 571–572, 607
cotton pests 803–805
screwworm 264
tick 262–265
using pheromones and chemosterilants 187–196, 737–741
vector 655–664
see also biological control, chemical control, cultural control, integrated pest management, pests and pest management
copepod as fungal host 29–32
Corcyra cephalonica 703–707
radiosensitivity of eggs 269–273
Cordia curassivica 263
Corioxenos antestiae 980
corn borer life history adaptations 501–506
Cosmopolites 670
Costa Rica
moths 489–500
pollination biology 151–164, 301–310
cost-benefits 649–651, 663–664
cotton
pest control 803–805, 1001–1006, 1007–1015
pesticide management 399–400, 738

pest resistance 715–721
cotton leafworm
biogeographical studies 551–559
susceptibility 89–93
cotton stainer 221–223
cowpea flea beetle 221–223
cowpea pest management 765–769
cowpea seeds
weevil attack 77–79
cowpea storage weevil 765–769
Crematogaster 240–241, 243
Crematogaster clariventris 240, 243
crop loss 649–651, 665–671, 1004
rice 677–693
crop pest management 731–736
crop protection training 937–941, 961–966
crop rotation 810–812
Cryptolestes 698
Cryptophlebia batrachopa 980
Cryptotylus unicolor 337–341
Culex cinereus 22
Culex decens 22
Culex fatigans 22–23
Culex nebulosus 22
Culex nigripalpus 618–621
Culex pipiens 22, 624, 638
larval control 107–110
Culex pipiens fatigans 81–83
Culex pipiens quinquefasciatus 621
Culex quinquefasciatus 710
microfilariae in 49–51
pathogenicity 21
refractory to microfilariae 229–234
Culex tarsalis 638
Culex trigripes 22
Culicoides furens 633
Culiseta inornata 624
cultural control
for cotton pests 803–805, 1003–1004
for sweetpotato weevil 809–814, 825–830
cutworms 200, 531–542, 551–559
Cyamopsis tetragonoloba 181–185
cyclop densities 29–32
Cylas formicarius 815–817
Cylas formicarius elegantulus 815–817, 825–830
Cylas formicarius formicarius 809–814, 815–817, 819–823
Cylas puncticollis 815–817, 826
Cymbopogon citratus 221–222
Cyrtorhinus lividipennis 681
Cystiphora schmidti 443
cytoplasmic polyhedrosis viruses 276, 278–280

Dacus oleae
control 1–9
frequency 165–169
Dasineura lini 442
defensive behaviour of host against mosquitoes 617–622
deltamethrin 703–707
Demetrias 485–486
density, population
armyworm 573–580
velvetbean caterpillar 581–589
Dermestes maculatus 696, 698–699
Deuteromycotina 198, 200–201
developing countries research and science policy 391–395
Diacrisia obliqua 779
parasitized by *Apanteles flavipes* 235–238
Dianemobius fascipes life cycle 475–481
Dianemobius mikado 475–481
Dianemobius nigrofasciatus 475–481
Dianemobius taprobanensis 475–481
diapause
egg 476–480
larval 317–322, 501–506
pupal 61–63
seasonal patterns 507–514, 515–521
Diatraea grandiosella 501–506
Dicladispa armigera 678
Dicrodiplosis manihoti 894–896
diet
artificial 65–69, 181–185
mass rearing 95–97, 181–185
Diglyphus 369, 371
Dilatotarsa patricia 486
Dinarmus virescens 1
Diomus 887–889, 899–903, 907
Diopsis macrophthalma 771–776
Dioscorea 825–830
Diotophora guttula 486
Diotophora stenodera 486
Diparopsis castanea 1001–1006
Dirphya nigricornis
on coffee 171–175, 331–336
dispersal
noctuid 561–569, 573–580, 605–608
distribution
armyworm 573–580
Glossina pallidipes 291–293
DNA replication 359–364
Dolichoctis 485
dormancy
gonad 484–487
pupal 491–495
dracunculiasis
socio-economic impact 655–664
Drosophila, Hawaiian 447–452
drylands
biological control 791–795
rice crop losses 677–693
Drypta lineola 485–486
dry season
adult butterflies 515–521
moth survival 489–500
Duodryx lorizona coffeae 980
Dysdercus 1002
Dysdercus superstitiosus
plant toxicity effect 221–223
Dysmicoccus brevipes 240–241

Earias insulana 737–741, 803–805
Earias vittella 737–741
East Africa
cassava green mite control 909–914
ecdysteroids 743–753
economics
of crop yield losses 665–671
of ticks and control 260–266
see also cost-benefits, socio-economic impact
economic threshold 649–651
for *Dacus oleae* on olives 1, 4
Ectomyelois muricis 495
educational programmes 825–830
egg distribution
Callosobruchus maculatus 77–79
Dirphya nigricornis 171–175, 331–336
egg-mass development
Simulium damnosum 311–316
eggs
dormancy 490–491
radiosensitivity 269–273, 327–329
size in *Dianemobius* 478–480
treated with nuclear polyhedrosis virus 365–468
Egypt
control of cotton pests 803–805
Elaeis guineensis
oil palm weevil 115–120
Elaphrothrips denticollis 437–438
Eldana saccharina 85–88
electron microscopy of chemoreceptors 145–150
electrophoresis 245–249
Empoasca 766
endopeptidase
exsheathment action 229–234
entomology, agricultural
challenges in the tropics 397–405
training in 927–935, 943–949, 961–966
training materials 951–953
Entomophthora 199
Entomophthora fumosa 199
Entomophthora grylli 199, 201
Entomophthorales 201
Entomophthora muscae 199
Entomophthora sphaerosperma 199, 201
environmental concerns regarding pesticides 398
enzyme electrophoresis 465–469
Ephestia cautella 15, 17, 703–707, 737–741
Epidinocarsis lopezi 402, 837–840
automated aerial release 883–885
as biological control 887–891, 899–903, 905–907
mass rearing 879–881
parasite-host interactions 857–859, 893–898
systems model 919–924
Epigonatopus sakai 199
Eretmopodites 21–22
Erosomyia mangiferae 442
Erynia delphacis 199, 201
Erynia radicans 201
escape 815–816
Escherichia coli infecting *Glossina* 217–220
essential oils
insecticidal toxicity 221–223
in pollination biology 301–310
Ethiopia
armyworm control 555
coffee pests 977–980
Etiella hobsoni 779
Etiella zinckenella 779–780
etrimfos 703–707
Eubacteriales 199
Eupatorium odoratum 240–241
Eupelmus urozonus 1, 165–166, 168
Euploea core 516
Euploea sylvester 516

Euploea tulliolus 516
Eurema brigitta 516–520
Eurema hecabe 516–520
Eurema herla 516–520
Eurema laeta 516–520
Eurema smilax 516–520
Eurytoma rosae 1
Euseius 847
Euseius concordis 847, 875–878
Euseius fustis 912–913
Evania appendigaster 225–227
Exochomus 889, 893–898
Exochomus flavipes 895, 900
exsheathment 49–51, 229–234
extension services 1007–1015

fall armyworm 608
  migration strategies 543–549
FAO 420–421
  training activities 961–966
fecundity
  effect of cannibalism 211–215
  effect of gamma radiation 177–179
  effect of photoperiod 355–358
  effects of temperature 351–353
  tsetse fly 217–220
fenthion 3–4
Ferrisia virgata 894
filariasis, lymphatic
  socio-economic impact 655–664
fine-structure studies 627–635
flight behaviour 606
  of African armyworm 561–569
  of *Nilaparvata lugens* 71–75
  of velvetbean caterpillar 581–589
flooding 812–813
flood-resistance, egg 523–528
floral oils
  in pollination biology 301–310
foraging trail, termite 343–350
forests as *Glossina* resting sites 57–60
free fatty acids in groundnuts 16, 18
French Guiana
  trapping tabanids 337–341
fruit borer 111–114
fruit fly, Mediterranean 365–368
fumigation of confused flour beetle 103–106
fungal parasites
  Coelomomyces 29–32
  Macrophora dalmatica 1
  Pythium 21–24
  rice 197–210
Fusarium 198, 201

Galendromus 847
Galendromus annectens 875–878
Galendromus helveolus 847
Galleria mellonella 202
gall midges 441–445
gamma radiation
  against angoumois grain moth 327–329
  against confused flour beetle 103–106
  of *Corcyra cephalonica* eggs 269–273
  against *Sitotroga cerealella* 177–179
Geromyia mangiferae 442
Geromyia penniseti 443
Ghana
  control of cassava pests 905–907
Glossina austeni 632
Glossina fuscipes 291–293
Glossina fuscipes fuscipes
  resting sites 57–60
Glossina fuscipleuris 291–293
Glossina morsitans 624
Glossina morsitans morsitans
  barriers to trypanosome development 33–37
  distribution 291–293
  experiments on reproduction, longevity 217–220
Glossina nigrofusca 324–325
Glossina pallicera 324–325
Glossina pallidipes
  distribution records 291–293
  trypanosome infection 25–27
Glossina palpalis palpalis
  catching experiments 323–326
Glycine max 181–185, 777–782
gonad dormancy 484–487
grain aphid 251–254
grain borer, large 401–402
'grass lice' 260–261
ground beetles 483–487
groundnut, stored
  insect pests 15–19
growth inhibition 3
growth rates, trypanosome 25–26
growth regulatory activity 81–83
Gryllotalpa 198
Gryllotalpa fossor 359–364
Guatemala
  blackfly electrophoretic studies 465–469
gynaecoidy 435–439

haematophagous insects 627–635
Halticoptera patellana 369–371
Hardy-Weinburg equilibrium 245–249
Hawaiian *Drosophila* 447–452
Hedylepta indicata 779
Heliothis armigera 779–780, 791–795
  biogeographical studies 551–559
  chemoreceptors 145–150
  nuclear polyhedrosis virus 53–56
  outbreaks in Australia 531–542
  photoperiod effect 355–358
  resistant tomatoes 111–114
  windborne migration 599–604
  in Zambia 1001–1006
Heliothis punctigera 531–542, 605
Hemicephalis agenoria 497
Herrania, pollination biology 151–164
Herrania albiflora 156–157
Herrania cuatrecasana 153, 155
  pollination biology 301–310
Herrania nitida 155–156
Herrania purpurea 155–156, 160
Heterorhabditis 202
Hexamermis 199
Hexamermis cathetospiculae 199
Hibiscus esculentus 240–241
Hipparidium heros 486
Hirsutella 198
Hirsutella barberi 198
Hirsutella citriformis 198, 201
Holobus fageli 912
Holobus pallidicornis 912
Holotrichia mindanaoana 682
Homalotylus africanus 894–895
Homoptera-ant interactions 239–243
hormones
  endogenous in mosquitoes 637–641
  see also juvenile hormone activity
horse fly trapping 337–341
host-associated stimuli 627–635
host defence against mosquitoes 617–622
host evasion, plant 137–138
host feeding 857–859
host location
  by biting flies 611–616
  by ticks 643–647
host plant resistance 453–458, 765–769, 771–776, 777–782
  sweetpotato 815–817, 819–823
host-seeking behaviour 637–641
humidity, relative
  effect on diapause 507–514
  effect on *Pseudaletia unipuncta* 591–597
  effect on *Tetrastichus pyrillae* 39–41
Hyalomma asiaticum 643–644
Hyalomma dromedarii 644
Hydrellia philippina 199, 679
Hylesia dalina 491
Hylesia lineata 490–491
Hyperaspis 893–898, 907, 919–924
Hyperaspis aestimabilis 900
Hyperaspis delicatula 889
Hyperaspis pumila 889
Hyperaspis senegalensis 900
Hyphaereon 485
Hypothenemus hampei 980
Hypsipyla grandella 495

IACBSE 417–419
immigration factor in control models 190–195
incubation of *Simulium damnosum* eggs 312–315
India
  biosystematic studies 423–424
  Heliothis armigera 599–604
  stored product insect management 703–707
Indonesia
  seasonality of ground beetles 483–487
inheritance of resistance, plant 138
insecticidal plants 221–224
insecticides
  antifeedants 731–736
  control of disease vectors 709–714
  on cotton pests 1004–1005
  models with pheromone traps 191–195
  on olive fruit fly 3
  resistance to 715–721
  socio-economic concerns 655–664
  on storage insects 695–701, 703–707
insect release system 883–885
instructional materials 951–953, 955–959
integrated pest management 197, 397–405, 715–721
  application machinery 723–729

of olive fruit fly 3
of potato tubermoth 989–994
teaching materials 955–959
training 937–941, 966
use of juvenoids 743–753
see also biological control, chemical control, pests and pest management, sterile insect release, traps and trapping
intercropping 810–812
International Advisory Council for Biosystematic Services in Entomology 417–419
International Code of Conduct on the Distribution and Use of Pesticides 397, 403
International Conference on Tropical Entomology 387
inundation forest
meinertellidae survival strategy 523–528
Iphiseius degenerans 912–913
IPM *see* integrated pest management
Ipomoea 816
Ipomoea batatas 815, 822, 825-830
Ipomoea trifida 819–823
iridoviruses 276–278
isopongaflavone 85–88
isozymes 465–469
Ivory Coast
Glossina capture 323–326
Ixodes persulcatus 644

Jadera aeola 507–514
Jordan
olive fruit fly 165–169
juvenile hormone activity
diapause regulator 507–514
noctuid 581–589
plant regulators 81–83
juvenile hormone antagonists 743–753
juvenoids 743–753

Kenya
African cassava mosaic virus 797–801
Anopheles gambiae parasitic fungi 29–32
armyworm control 554–559
Dirphya nigricornis on coffee 171–175
Mwea Irrigation Scheme 245–249

Lantana camara
resting site of *Glossina* 57–60, 292
Laodelphax striatellus 200
larvae
dry season development 495-496
effect of radiation 327–329
treated with nuclear polyhedrosis virus 365–368
larval cannibalism 211–215
larval diapause
in *Diatraea grandiosella* 501–506
in *Plodia interpunctella* 317–322
Lasioderma serricorne 703–707
Lasioglossum 165–166
leaf-cutting ant 99–102
leaffolder 200–201, 677–692
leafhopper
green 200–203
host plant resistance 765–769
transmitting virus 295–300, 757–764
zig-zag 200
leafminer 369–372
leafroller, rice 201–202
leafworm, cotton 365–368, 551–559
Lebia karenia 485–486
legislative control 676
legume pod borer 765–769
Leguminivora glycinivorella 779
leishmaniasis, socio-economic impact 655–664
Lemprosema indicata 779
Leptocorisa oratorius 682
Leucopholis irrorata 682
Leucoptera caffeina 977–980
life cycle
duration in *Tetrastichus pyrillae* 39–41
ground cricket 475–481
Lint Company of Zambia Ltd (LINTCO) 1007–1015
lipids
in groundnuts 16, 18
Lippia adoensis
insecticidal effect 221–223
Liriomyza huidobrensis 369–372
livestock
effect of ticks and screwworms 259–267
Locusta migratoria 402
Locusta migratoria migratorioides 969–974
Locustana pardalina 402
longevity
effect of gamma radiation 177–179, 271–272
effect of photoperiod 355–358
of *Tetrastichus pyrillae* 39–41
tsetse experiments 217–220
Lutzomyia longipalpis 624

Macalla thyrsisalis 492
Machilus bombycina 61–62
McPhail glass trap 2–3
Macrophora dalmatica 1
Macrotermes gilvus 682
Macrotermes michaelseni 121–128
maize, stored
insect infestation 379–384, 981–987
maize stalk borer 95–97, 181–185
maize streak virus 295–300, 757–764
Malaise trap 337–341
malaria, socio-economic impact 655–664
malathion
on mosquitoes 710–713
on stored product insects 703–707, 715–721
Maliarpha separatella 771–776
management strategies
see control
mandarin orange chemical deterrent 99–102
Manduca dilucida 491–492
Mangifera induca 239–243
mango
ant-Homoptera interactions 239–243
Manihot 11–12
Manihot esculenta 797–801
Mansonia 656
Mansonia africana 629
Mansonia uniformis 629
Marasmia patnalis 201, 678, 680, 682
Maruca testulalis 767, 780
antifeedant against 85–88
mass rearing
Apanteles flavipes 95–97
cassava pests and enemies 879–881
Chilo partellus 181–185
Opius concolor 2
Phytoseiidae 875–878
mating ability
effect of radiation 271–272
Matsumuraeses phaseoli 779
media programmes 825–830, 953
Mediterranean basin olive pests 1, 3
Meinertellidae survival strategy 523–528
Melanagromyza sojae 778, 780
Melanitis leda ismene 198–199
Melia azedarach 731–736
Mermis 199
Mesocyclops decipiens 29–30
Mesocyclops leuckarti 29–30
Mesocyclops leuckarti pilosa 29–30
Metaphycus helvolus 351–353
Metarhizium album 198
Metarhizium anisopliae 198, 200–201
Metarhizium flavoviride 198, 200–201
Metastenus 894–895
meteorology
see weather
methyl bromide 103–106
Microcyclops minutus 29–31
microspora 197–210
Microvelia douglasi atrolineata 681
midge
in pollination biology 302, 308
sorghum resistance to 129–144
migration strategies 605–608
African armyworm 561–569
armyworm 573–580, 591–597
fall armyworm 543–549
moths 489–500
noctuids in Australia 531–542
oriental armyworm 571–572
velvetbean caterpillar 581–582
windborne 599–604
millet spike borer 402
Mochtherus tetraspilotus 485
moisture content
in groundnuts 16, 18
in infested maize 379–384
monitoring 737–741
Monodora tenuifolia 221–222
Monomorium pharaonis 682
Mononychellus, taxonomy 11–13, 995–999
Mononychellus progresivus 11–12, 847–848
Mononychellus tanajoa
see cassava green mite
morphometric characteristics 107–110
mosquito larva
bacterial control 107–110
pathogenicity of *Pythium* 21–24
mosquitoes
host defensive behaviour 617–622

host-seeking behaviour 637–641
insecticide control 709–714
microfilarial exsheathment 229–234
moths 489–500
muga silkworm 61–63
mulching 813
multiple resistance 765–769
Musca domestica nebulo 81–83
Mycalesis perseus 516–520
Mycalesis terminus 516–520
Myiophagus ucrainicus 199
Mythimna convecta 531–542, 605–608
Mythimna loreyimima 532
Mythimna separata 198–199, 202, 605–608
in China 571–572
crop losses in rice 678
outbreaks in Australia 531–542
Myzus persicae 374, 376

Naranga aenescens 681, 683
national biological control programmes 835–840
natural enemies 791–795
aerial release 883–885
of cassava pests 845–849, 861–865
mass rearing 879–881
see also biological control
Necrobia rufipes 696
neem 731–736
nematodes, insect 197–210
Neoaplectana carpocapsae 203
Neocleptria punctifera 532–542
Neogalea sunia 492
Neomachilellus scandens 523–528
Neoseiulus 847
Neoseiulus anonymus 845–849, 874, 875-878, 907, 911
Neoseiulus idaeus 867–869, 874, 875–878, 907, 909–914
Nepeta cataria 461–463
nepetalactone 461–463
Nephotettix 678
Nephotettix cincticeps 199
Nephotettix impicticeps 199
Nephotettix virescens 198, 200
Nephus 894
Nezara viridula 779
Niger
training centre 937–941
Nigeria
control of cabbage aphid 373–379
insecticidal activity of plants 221–224
storage insects in groundnuts 15–19
stored maize infestation 379–384, 981 987
stored sorghum infestation 981–987
Nilaparvata lugens
flight behaviour 71–75
pathogens 200–201
noctuids 605–608
biogeographical studies 551–559
migration strategies 531–542, 543–549, 561–569, 573–580
velvetbean caterpillar as model 581–589
see also names of specific noctuids
nodaviruses 276, 282
Nomadacris septemfasciata 402
Nomuraea rileyi 198, 201
nonpreference as plant resistance mechanism 132, 136–137, 816
Nosema manierae 199, 202
nuclear polyhedrosis virus 276–277
of *Heliothis armigera* 53–56
of rice pests 199, 202
of *Spodoptera littoralis* 89–93, 365–368
nucleic acids in fat body of silkworm 43–48
nudaurelia beta virus group 276, 281–282
Nymphalidae 515–521
Nymphula depunctalis 199, 683

odour as biting fly attractant 611–616
Oecophylla longinoda 240–241, 243
Oedalus senegalensis 402
oedymery 435–439
oil palm weevil 115–120
Olea europea 1
Olethreutes 980
olfactory receptors
in mosquitoes 637–641
in ticks 643 647
olfactory stimuli
for biting flies 611–616
Oligonychus gossypii 847
Oligonychus peruvianus 847
olive fruit fly
control 1–9
frequency 165–169
olive tree pests 1–9, 165–169
onchocerciasis 465 469
socio-economic impact 655–664
ootheca, parasites 225–228
Ootheca mutabilis
plant toxicity effect 221–223
virus transmission 766–767
Ophiomyia centrosematis 778, 780
Ophiomyia phaseoli 778, 780
Opius 369, 371
Opius concolor 1–2, 165–166, 168
oriental armyworm 198–199, 202, 605–608
migration and management 571–572
outbreaks in Australia 531–542
Ornithodoros 260–261
Ornithodoros concanensis 643
Ornithodoros moubata 643
Ornithodoros puertoricensis 261
Ornithodoros savingyi 643
Ornithodoros tholozani 624
Ornithodoros turicata 261
Orseolia oryzae 441–442, 678
Orseolia oryzivora 441–442
Oryctes baculovirus 276–277
Oryzaephilus mercator 15, 17, 698
Ostrinia furnacalis 780
Otioryhnchus sulcatus 202
Otobius 260
outbreaks 608
of African armyworm 561–569
of cassava green mites 861–865
of noctuids in Australia 531–542
of rice pests 689
of tropical migratory locusts 969–974
oviparity 435–439
oviposition behaviour
of *Callosobruchus maculatus* 77–79
of *Dirphya nigricornis* 175
of *Evania appendigaster* 226
of *Tetrastichus hagenowii* 226
ovoviviparity 435–439
Oxyahyla intricata 199, 201
oxygen-deficiency experiments
Simulium damnosum eggs 313–316
Oxyrhachis lagosensis 240–242

Pachyneuron 902–903
Paecilomyces farinosus 198
Paecilomyces lilacinus 198, 201
Panama
seasonality studies 507–514
parasites
Apanteles flavipes 235–238
on *Dacus oleae* 1–2, 165–169
Epidinocarsis lopezi 857–859, 887–891, 893–898, 905–907
mass rearing 95–97
Neoseiulus idaeus 867–869
on *Periplaneta americana* 225–228
Pythium 21
Tetrastichus pyrillae 39–41
Parasite transfer 793–794
parasitorhabditis 199
Parena fasciata 486
Parnara 202
parvoviruses 276, 278
pathogenicity of *Pythium* 21–24
pathogens of rice insect pests 197–210
Peckia abnormis 508
Peckia chrysostoma 508
Pectinophora gossypiella 737–741, 803 805
Pediculus humanus humanus 633
Pelopidas mathias 198, 200
Penicillium 198
Periplaneta americana parasites 225–228
Permanent Interstate Committee for Drought Control in the Sahel 937–941
peroxides in groundnuts 16, 18
Persectania dyscrita 531–542, 605
Persectania ewingii 531–542, 605
pesticide management 397–405, 743–753, 794-795
application machinery 723–729
pests and pest management 649–651, 665–671, 673–676
antifeedants 731–736
cotton 1001–1006, 1007–1015
cowpea 765–769
training 937–941
see also integrated pest management
Petivaria alliacea 221–222, 263
petroleum ether extracts
insect growth regulators 81–83
Phaedonia inclusa 779
Phaseolus vulgaris 181–185
Pheiddogeton diversus 682
Pheidole 240–243
Phenacoccus madierensis 240–241, 894
Phenacoccus manihoti
see cassava mealybug

pheromones, sex, as control 2, 187–196, 587, 737–741
pheromones, trial 343–350
Philippines rice crop losses 677–692
Phormia regina 632
phosphamidon on olive fruit fly 3–4
photoperiod
affecting diapause 317–322, 502–503, 507–514
effect on bollworm 355–358
responses in *Dianemobius* 475–481
Phthorimaea operculella 989–994
Phytoseiidae 845–849, 867–869, 871–874, 905–907
aerial release 883–885
mass production 875–878
picornaviruses 276, 280–281
Pieridae 515–521
Piezodorus guildinii 779
Piezodorus hybneri 779
pigeon pea
ant-Homoptera interactions 239–243
pineapple orange 99–102
Piper guineense 221–223
Planococcus citri 240–241, 243
Planococcus concavocererii 242
Planococcus ficus 240–242
Planococcus njalensis 240–241, 243
plant attractiveness
of *Citrus* to leaf-cutting ants 99–102
planthopper
flight behaviour 71–75
pathogens 200–202
plant protection services 397, 401, 403
plants
acaricidal activity 263
insecticidal activity 221–224, 731–736
pleitropy 449–451
Plodia interpunctella 15, 17
larval diapause 317–322
Plusia chalcites 779
Plusia orichalcea 779
Pnigalio mediterraneus 1
pod borers 779–781
pod sucking bug 221–223
pollination biology
Theobroma and *Herrania* 151–164, 301–310
polyhedra of *Heliothis armigera* 53–56
polymorphism
in Hawaiian *Drosophila* 447–452
in Thysanoptera 435–439
in velvetbean caterpillar 581–589, 606
population counts
of cabbage aphid 373–377
of citrus green scale 255–257
population density
armyworm 573–580
velvetbean caterpillar 581–589
population genetics 465–469
Porthesia taiwana 779–780
portugal orange 99–102
postharvest losses 673–676
potato leafminer damage 369–372
potato tubermoth 989–994
poxviruses 276, 278
Pratylenchus 670
precocenes 748
prey preference 867–869
primary reproductives, termite 121–128
Prochiloneurus 893–898
Prochiloneurus sp. nr. *cabrerai* 902–903
Prochiloneurus insolitus 894, 902
Procontarinia matteiana 442–443
Procystiphora mangiferae 442
Prolasioptera berlesiana 1
Prophantis smaragdina 980
prophylaxis in treating stored grains 706–707
Proprioseiopsis 847
Prostephanus truncatus 401–402, 676, 737–741
protein in fat body of silkworms 43–48
Pseudaletia unipuncta 605–608
seasonal migrant 591–597
Pseudococcus hargreavesi 240, 242
Pseudococcus longispinus 240
Psophocarpus tetragonolobus 181–185
Ptilopsaltis santarosae 496
pupae
dormancy 491–495, 497
effect of radiation 327–329
pyrethroids 703–707, 709–714, 715–721, 989–994, 1001–1006
Pyrilla perpusilla parasitoid 39–41
Pythium pathogenicity 21–24

quarantine 397, 403
queen, termite 121–128

radiosensitivity of rice moth eggs 269–273
Raghuwa albipunctella 402, 791–795
rainfall
effect on cassava green mite 863
effect on noctuid pests 531–542, 551–559
Recilia dorsalis 198, 200
regional control programme 909–914
see also national biological control programmes
regional training programmes 937–941, 943–949, 965
reproduction
seasonal strategies 515–521
tsetse experiments 217–220
reproductive potential
effects of radiation 272
effects of temperature 351–353
reduction by bacteria 107–110
reproductives, termite primary 121–128
research
and cost-benefit analysis 649–651
and science policy 391–395
resistance
acaricidal 263–264
insecticidal 398, 715–721
management 709–714
screening 757–764
resistant varieties
cowpea 765–769
rice 771–776
sorghum 129–144
sweet potato 819–823
tomato 783–784
resource allocation in pest management 665–671
resting sites of *Glossina* 57–60
Retroviridae 276, 282–283
Rhabdoviridae 276, 282–283
Rhipicephalus appendiculatus 645
Rhipicephalus avertsi 645
Rhipicephalus sanguineus 259–260
Rhizopertha 981–987
Rhizopertha dominica 697–698, 703–707
Rhodnius prolixus 624, 632
Rhopalosiphum rufiabdominalis 682
rice
crop loss from pests 677–692
insect pest pathogens 197–210
pesticide management 400, 731–736
pest resistance 715–721
varietal resistance to stem borer 771–776
rice bug 677–692
rice moth radiosensitivity 269–273
rice skipper 200, 202
Riptortus clavatus 779
Riptortus dentipes 767
plant toxicity effect 221–223
Riptortus linearis 779
Rivula atimeta 201, 681, 683
Romalea guttata 459–463
Romanomermis culicivorax 202
rotenone 85–88
Rothschildia lebeau 493–495, 497
royal cells, termite 121–128

Sahel
pesticide management 400–401
subsistence farming 791–795
training in crop protection 937–941
Saissetia 240–241
Saissetia coffeae 351–353
Sarcodexia sternodontis 508
Sarcophagidae 507–514
Schausiella santarosensis 491, 495
Schistocerca gregaria 402
DNA replication 359–364
Schistosoma haematobium 658
Schistosoma intercalatum 659
Schistosoma japonicum 658
Schistosoma mansoni 659
Schistosoma mekongi 658
schistosomiasis, socio-economic impact 655–664
science policy 391–395
Scirpophaga incertulas 198, 682
Scotinophara 198, 200
Scotinophara coarctata 198, 201, 678
Scotinophara lurida 198, 201, 678
screening for midge resistance 131–132
screwworms on Caribbean livestock 259–267
Scutellista cyanea 351–353
Scymnus 894–895
seasonal adaptations of *Diatraea grandiosella* 501–506

seasonality
migration of armyworm 591–597
moth survival patterns 489–500
outbreaks of cassava green mite 861–865
outbreaks of tropical migratory locust 969–974
and physiological regulation 507–514
and reproductive strategies 515–521
sensilla 627–635
sequestration 459–463
Serratia marcescens 199
Sesamia calamistis 771–776
Sesamia inferens 682
artificial diet 65–69
pathogens 198
sex, *Glossina* 33–36
sex pheromones
see pheromones, sex
sexual selection
Hawaiian *Drosophila* 447–452
silkworms
diapause potential 61–63
fat body protein content 43–48
Simulium 711
Simulium baffinensi 632
Simulium damnosum 311–316
Simulium ochraceum 465 469
Simulium venustum 624, 632
Sitobion avenae 251–254
Sitophilus 698–699, 981–987
Sitophilus oryzae 703–707
Sitophilus zeamais 379–384, 696, 698, 700
Sitotroga 981–987
Sitotroga cerealella
control 177–179, 696, 698
radiation effect 327–329
sleeping sickness 57–60
small scale farmers
cotton pest management 1001–1006, 1007–1015
integrated pest management 723–729
socio-economic impact of human disease 655–664
Sogatella furcifera 200–201, 678
Sogatodes oryzicolus 200
soil adsorption of polyhedra 53–56
Solenopsis saevissima 263
Somalia
armyworm control 556
Sophrorrhinus 696
sorghum
infestation of seed 981–987
resistance to midge 129–144
South America
Mononychellus enemies 845–849
Mononychellus taxonomy 11–12
Spalgis lemolea 894–895
spermatogonial cells 359–364
spinning behaviour 995–999
Spodoptera 201
Spodoptera exempta 605–608
antifeedant against 85–88
biogeographical studies 551–559
migration in life system 561–569, 573–580
outbreaks in Australia 531–542
pheromones for control 737–741
Spodoptera exigua 532, 779
Spodoptera frugiperda 605–608
migration strategy 543–549
Spodoptera littoralis
biogeographical studies 551–559
control measures in Egypt 803–805
nuclear polyhedrosis virus 365–368
susceptibility 89–93
Spodoptera litura 532, 779
Spodoptera mauritia 199, 532
sprayers 723–729
spread of pests 401–402
starvation, *Glossina* 33–36
Steatococcus theobromae 240–241
Steinernema feltiae 203
stem borers 200–203, 677–692, 778–780
pink 65–69
rice varietal resistance 771–776
Stenotarsus rotundus 507 514
Stenvotarsoneaus spinki 199
sterile insect release
models 192–194
olive fruit fly control 2, 4
sterility from gamma radiation 177–179, 269–273
Stethorus aethiops 912
Stictococcus sjostedti 240–243
stink bugs 779–780
Stomoxys calcitrans 632 633
storage insects 673–676, 781
control 103–106, 695–701, 703–707, 731–736
in groundnuts 15–19
in maize and sorghum 981–987
potato tubermoth 989 994
pheromones used as control 737–741
resistance to insecticides 715–721
subsistence farming 791–795
Sudan
tsetse distribution 291–293
sugar-cane borers 738
sugar-cane leaf hopper parasitoid 39–41
sweetpotato weevil
cultural control measures 809–814, 825–830
resistant cultivars 815–817, 819–823
symbionts, tsetse 217–220
Sympherobius 907
Syncephalastrum racemosum 199
systematics *see* biosystematics
systems model for cassava pests 919–924

tabanids 337–341
Tabanus nigrovittatus 624–632
Tanzania
armyworm control 554–449
taste sensilla, tick 643–647
taxonomic inventory of cassava pests 845–849
taxonomic services 421–422
taxonomy 407–412
in Africa 425–432
in biological control 841–844
of cassava green spider mites 995–999
training in 927–935
Telfairia occidentalis 240–241
Temnoschoita quadrimaculata 115–120
temperature
affecting diapause 317–322, 502–503
effect on *Pseudaletia unipuncta* 591–597
effect on reproductive capacity 351–353
effect on *Tetrastichus pyrillae* 39–41
Tephrosia elata 85–88
tephrosin 85–88
termite primary reproductives 121–128
tetrahydroisopongaflavone 87–88
Tetramorium aculeatum 240
Tetraneura nigriabdominalis 682
Tetranychus 847, 1002
Tetranychus lombardinii 867–869, 911–913
Tetranychus urticae 875–878
Tetrastichus 165–166, 168, 894
Tetrastichus hagenowii 225–227
Tetrastichus pyrillae 39–41
Theobroma, pollination biology 151–164
Theobroma bicolor 153, 155
Theobroma cacao 151–161
ant-Homoptera interactions 239–243
pollination biology 301–310
Theobroma mammosum 153, 155, 160–161
pollination biology 301–310
Theobroma simiarum 152–153, 155–157, 160–161
pollination biology 301–310
Theobroma speciosum 152–156, 160–161
Theobroma sylvestre 153, 155
Therates fasciatus 486
Therates labiatus 486
thermoreceptors, tick 643–647
thrips resistant plants 765–769
Thyrinteina 492
thyroxine 43–48
Tiarothrips subramanii 436–437
ticks
on Caribbean livestock 259–267
host location 643–647
tiger beetles 483–487
Tirumala hamata 516
tolerance, plant 137
tomato resistance 111–114, 783–784
toxicity tests, insecticide 703–707
toxic plants
as host plants 459–463
Toxoptera aurantii 240–241
Toxorhynchites 21–24
Toxorhynchites brevipalpis 629
resistance to zoospores 22
trail laying, termite 343–350
trail pheromone, termite 343–350
training 839, 961–966
in crop protection 937–941
materials 951–953, 955–959
national biological control programmes 915–918
regional programmes 937–941, 943–949
small scale farmers 1007–1015
taxonomists 927–935

university 927–935, 943–949
transformations 255–257
traps and trapping
Dacus oleae 2, 4
Glossina 323–326
leafminer 369–372
moles 187–196
tabanids 337–341
Triatoma infestans 632
Tribolium castaneum 15, 17, 263, 697–699, 703–707
Tribolium confusum 103–106
Tribolium granarium 17–18
Trichostereresis glabra 165–166, 168
Trigona jaty 160–161
Trionymus 682
Triticum aestivum 251–254
Trogoderma 676
Trogoderma granarium 698, 703–707
tropical migratory locust 696–675
tropics
agricultural entomology 397–405
biosystematic services 421–422
research and science policy 391–395
taxonomic resources 407–412
true armyworm 605–608
seasonal migrant 591–597
Trypanosoma brucei 25–27
Trypanosoma brucei brucei 217–220
Trypanosoma brucei gambiense 659
Trypanosoma brucei rhodesiense 659
Trypanosoma congolense 25–27
barriers to development 33–37
effect on *Glossina* development 217–220
trypanosomiasis, African
socio-economic impact 655–664
tsetse fly
distribution records 291–293
infections 25–26
reproduction and longevity experiments 217–220
see also Glossina listings
Tunisia
potato tubermoth 989–994
Typhlodromalus 847
Typhlodromalus limonicus 845–849, 875–878
Typhlodromips 847

Udinia catori 240–242
Uganda
armyworm control 554–559
sleeping sickness 57–60
United States
sweetpotato weevil control 825–830

varietal resistance
cowpea 767–769
mungbean 777–782
rice 771–776
sorghum to midge 129–144
soybean 777–782
tomato 783–784
vector-borne diseases 655–664
vectors 655–664
of mosquito-borne diseases 617–622
velvetbean caterpillar 581–589
vertebrates
defence against mosquitoes 617–622
host-associated stimuli 627–635
Verticillium lecanii 201
viability of infested maize 379–384
Vicia fabia 181–185
Vigna aconitifolia 181–185
Vigna radiata 181–185, 777–782
Vigna unguiculata 182–185
ant-Homoptera interactions 240–241
viruses, insect 197–210, 275–289
see also specific names of virus groups
virus transmission 295–300, 757–764, 783–784, 797–801
visual lures 2
viviparity 435–439
voltinism
in moths 492–493
in corn borer 501–502

Wahlund effect 245–249
Warburgia 731–736
weather
effect on cassava green mite 861–865
effect on noctuid pests 531–542, 561–569, 607
see also humidity, temperature
weevil, cowpea 77–79
West Africa
rice resistance to pests 771–776
wetlands rice crop losses 677–693
whitefly 783–784, 797–801
whorl maggot 677–692
windborne migration of *Heliothis armigera* 599–604
wing form in *Dianemobius* 477–478
winter wheat resistance to aphid 251–254
Wyeomyia aporonoma 632
Wyeomyia smithii 632

Xanthomonas malvacearum 1002
X-chromosome, orthopteran 359–364
Xenopsylla cheopis 624
Xylophanes turbata 497–498

yellow-headed borer 171–175, 331–336
yield losses from crop pests 665–671

Zaire
cassava mealybug 899–903
Zambia
cotton pest management 1001–1006, 1007–1015
Zeuxidiplosis giardi 443
zoospores, *Pythium* 21–24
Zygomycotina 199

INSECT SCIENCE AND ITS APPLICATION

The International Journal of Tropical Insect Science

AIMS AND SCOPE

Insect Science and its Application deals comprehensively with all aspects of scientific research targeted on tropical insects (and related arthropods), and the application of new discoveries and innovations to such diverse fields as pest and vector management and the use of insects for human welfare.

A distinctive feature of the journal is its multi- and interdisciplinary nature, which transcends the traditional boundaries of entomology.

Its second feature is its concentration on the recording and reviewing of the progress of insect science in the tropical and subtropical regions of the world. Thus, without excluding any area of the wide-ranging field encompassed by insect science, the journal will accept manuscripts in environmental physiology, the regulation of development and reproduction, population modelling, chemical ecology, natural products chemistry, plant resistance, host-insect relations, behaviour of tropical pest species, epidemiology of tropical diseases, vector biology, pest and vector management research, insect pathology, entomo-meteorology, insects in relation to farming systems, forest entomology, social insects and arthropods, and the use and farming of insects. It is the intention of the Editors to have the manuscripts published rapidly, consistent with the needs of quality control.

In addition to articles of original research, the journal also publishes mini-reviews articles, announcements and reports of meetings, book reviews, new patents, obituaries of prominent scientists and software survey. Each regular issue of the journal usually contains a short review article on a critical or rapidly developing area of tropical insect science; normally, the Editors will have invited an author to contribute such a mini-review.

Insect Science and Its Application is an international journal, pursuing its own independent policy through its editorial staff and the Editorial Advisory Board, which is internationally appointed. Its sponsors, the ICIPE and the African Association of Insect Scientists (AAIS), do not intervene in editorial matters.

INSTRUCTIONS TO AUTHORS

For indications of the design of papers, the author should consult a recent issue of the journal. The following paragraphs are provided as guidelines for the preparation and submission of manuscripts.

1. All papers for publication in *Insect Science and Its Application* should be submitted directly to Professor Thomas R. Odhiambo, Editor-in-Chief, *Insect Science and Its Application,* ICIPE Science Press, P.O. Box 72913, Nairobi, Kenya Papers should be mailed in a strong envelope, preferably linen, as they will otherwise arrive in a damaged condition.

2. Papers should be typed in English or French, and be original contributions in the field of tropical insect science. Each paper should have a summary in the form of an abstract in both English and French.

3. Submission of a paper implies that it has not been published previously, that it is not under consideration for publication elsewhere, and that if accepted for *Insect Science and Its Application* the authors will transfer copyright to the ICIPE Science Press of the International Centre of Insect Physiology and Ecology. Manuscripts and illustrations become the property of the journal.

4. There is no page charge for papers accepted for publication.

5. Manuscripts and illustrations must be submitted in triplicate (original and two copies) to ensure efficient refereeing. In the case of multiple authorship, the authors should indicate who is to receive correspondence and the correct address for the mailing of proofs.

6. Manuscripts must be typewritten with double spacing (including the reference list), with wide margins, and on one side of the paper only. Authors are requested to keep their communications as concise as possible. Footnotes should be avoided, and italics should not be used for emphasis. A running head of not more than 30 letters should be supplied.

7. The manuscript should contain the following features:

Title: This should be followed by the author's name and full address.

Abstract containing a brief summary of the contents, and conclusions of the paper. It should not be longer than 200 words, and should be supplied in both English and French.

Key Words A short list of key words should be provided for rapid scanning of the contents of the paper and use in compiling the Index to the completed volume of the journal.

Introduction should contain a brief survey of the relevant literature and the reasons for doing the work.

Materials and Methods Sufficient information should be given to permit repetition of the experimental work by other workers. The technical description of methods should be given only when such methods are new.

Results should be presented concisely. Only in exceptional cases will it be permissible to present the same set of results in both a table and a figure. The results section should not be used for discussion.

Discussion should be separate from the Results section, and should deal with the significance of the results and their relationship to the object of the work. Comparison with relevant published work should be made, and conclusions drawn.

Acknowledgements Only pertinent acknowledgements should be cited.

Reference The Harvard system will be followed. References should be detailed in the following order: Authors' names and initials, date of publication (in brackets), the title of the article, the name of the journal as abbreviated in the *World List of Scientific Periodicals* (4th edn. 1964), the volume, and the first and last pages of the article, e.g.

> Delobel A.G.L. (1983) Influence of temperature and host plant condition on preimaginal development and survival in sorghum shootfly, *Atherigona soccatta. Insect Sci. Applic.* 4, 327-335.

For books, the author's names, date of publication, title, edition, page reference, publisher's name and the place of publication should be given, e.g.

> Zurfleuh R.C. (1976) Phenylethers as insect growth regulators: laboratory and field experiments. In *Juvenile Hormones* (Edited by Gilbert L.L.), pp. 61-74. Plenum Press, New York.

Within the text, references should be given as Unnithan (1981) or (Unnithan, 1981). When a citation includes more than two authors, e.g. Ochieng', Onyango and Bungu, the paper should be referred to in the text as Ochieng' *et al.*, provided that this is not ambiguous. If there are only two authors, they should be referred to as Ochieng' and Onyango. If papers by the same authors in the same year are cited, they should be distinguished by letters (a,b,c, etc.).

Reference to papers "in press" must mean that the article has been accepted for publication and should be given as follows:

> Darlington J.P.E.C. (1988) Primary reproductives and royal cells of the termite, *Macrotermes michaelseni. Insect Sci. Applic.* In press. References to "personal communication" and unpublished work are permitted in the text only.

8. Illustrations. All necessary original illustrations should accompany the manuscript, but should not be inserted in the text. All photographs, graphs and diagrams should be numbered consecutively in arabic numerals in the order in which they are referred to in the text.

Glossy photographs or positive prints (not slides or X-ray negatives) should be sent, unmounted wherever possible, and should be restricted to the minimum necessary.

Charts, graphs or diagrams should be drawn boldly in black ink on good quality white paper or card. Lettering to appear on the illustrations should be given in full and should be of sufficient size to withstand considerable reduction, where necessary. Alternatively, lettering may be shown on a rough overlay and will be inserted by the printer.

Illustrations should not be larger than 24 × 30 cm, or they may be damaged in the post. On the back of each illustration should be indicated the author's name, the figure number (in arabic numerals), and the top of the illustration, where this is not clear.

The following symbols should be used on line drawings as they are readily available to

the printer: ▲ △ ▼ ▽ ■ □ × + ● ○.

Legends to figures should be typed on a separate sheet, not under the figures, and should give sufficient data to make the illustration comprehensible without reference to the text.

Magnification of photographs and illustrations should be indicated by an appropriate scale bar and not in the legend. This practice obviates the complications which arise through change of size in reproduction.

9. Tables should be constructed so as to be intelligible without reference to the text, numbered in arabic numerals, and typed on separate sheets. Every Table should be provided with an explanatory caption, and each column should carry an appropriate heading. Units of measurement should always be indicated clearly. All Tables and Figures must be referred to in the text in numerical order.

10. Only standard abbreviations should be used. Where specialized abbreviations are used, the name should be given initially in full with the abbreviation indicated in parentheses.

11. The common and Latin names should be given for all species used in the investigation, although taxonomic affiliation and authority should not be provided in the title.

12. Page proofs will be sent to the author by the printer of the ICIPE Science Press. They will already have been proof read by the typesetter for printer's errors; but it is the author's responsibility to ensure that the proof contains no errors. Correction to proofs should be restricted to printer's errors only. Other than these, substantial alterations will be charged to the author. Proofs should be returned to the ICIPE Science Press within 48 hr of receipt for final preparation for the printer. Failure to meet this deadline may result in the inadvertent inclusion of errors in the published article.

Printed in Great Britain by A. Wheaton & Co. Ltd, Exeter